

# FOOTWEAR

Safety Boots

Safety Shoes

Catering Footwear

Ladies Footwear

Wellingtons

Accessories



## Safety Footwear

# Health & Safety

## Legislation

EN ISO 20345:2011 is the current standard to which new and recently certified footwear has to conform (whilst stock rotates some safety footwear many have been tested to the previous standard). The standard to which the footwear conforms will be identified on the product information label within the footwear.

The standard requires the inclusion of a 200 joule toecap for impact protection. In addition to the over arching requirements of the standards there are a number of progressive ratings which assist selection of footwear appropriate for varying workplace hazards.

These are:

- ▶ SB - safety basic footwear meeting all the minimum requirements of the standard
- ▶ S1 - additionally featuring anti-static properties and fully enclosed and energy absorbing heel unit.
- ▶ S2 - additionally featuring the use of water resistant leather
- ▶ S3 - additionally featuring cleated outsole and pierce resistant midsole
- ▶ S4 - rubber or polymeric waterproof footwear with 200 joule toecap, anti-static properties and energy absorbing heel unit.
- ▶ S5 - additionally featuring cleated outsole and pierce resistant midsole
- ▶ C - conductive properties helping to prevent the build-up of static (but no protection against electric shock)
- ▶ A - anti-static properties to prevent the build-up of static and give limited protection against electric shock from nominal mains voltage
- ▶ HI - insulation against heat
- ▶ CI - insulation against cold
- ▶ E - energy absorption in heel unit
- ▶ WRU - water resistant uppers
- ▶ HRO - resistance to hot contact up to 300°C

Additional protective features can be built into the footwear and are identified by the following suffixes:

- ▶ P - protection from upward penetration provided by a composite or steel midsole (not used in conjunction with S3 or S5)
- ▶ M - metatarsal impact protection

## Buying Guide

### Choose the right footwear

Most workplaces have varying requirements for the provision of safety footwear, which is why we offer a comprehensive range within which you should be able to identify appropriate footwear to meet the needs of your workforce whatever the hazards identified in your risk assessment.

Whilst protection is paramount it is recognised that with long wear periods, often in hostile conditions, wearer acceptance, design, brand and comfort are additional considerations. We therefore offer varying styles from executive shoes to heavy duty rigger boots.

### Slip Resistance

Slips, trips and falls are an ever present hazard within most workplaces and safety footwear can play it's part in preventing injury, particularly from slips, by featuring slip resistant soles.

For many years the test of choice for slip resistance has been SATRA's TM144 standard which evaluates the performance of the sole unit on a water wet quarry tile. Well established styles of footwear are likely to have been tested to TM144 and will be identified as such by the TM144 icon.

However with regard to new styles of footwear undergoing periodic re-testing the recently established EN ISO 13287 with it's progressive SRA, SRB and SRC ratings has become more widely used.

Details of the EN ISO 13287 testing requirements are shown in the table below.

Slip resistance ratings for industrial PPE footwear in Europe			
Marking symbols and specifications			
Marking	Footwear slip resistant on	Minimum coefficient of friction by ISO 13287:2006	
		Forward heel slip	Forward flat slip
SRA	Ceramic tile with 0.5% SLS solution	0.28	0.32
SRB	Steel with 90% glycerine	0.13	0.18
SRC	Both the above	Both the above on respective surfaces	Both the above on respective surfaces
NB: ISO 13287:2006 is identical to EN ISO 13287:2007			

Footwear tested to EN ISO 13287 and the rating achieved will be identified by the appropriate SRA / SRB / SRC icon.

### Sizing

Safety footwear often carries European sizing, please see below for a comparison table.

#### Shoe Size Conversion Table

This table is for guidance only as sizes are not standardised.

British	2	3	4	5	6	7	8	9	10	11	12	13
Continental	36	36	37	38	39	41	42	43	44	46	47	48

### Maintenance

As with all footwear it is essential that, to achieve optimum performance of the properties built in to the safety footwear at time of manufacture, safety footwear is cleaned and maintained regularly.

### Safety Icons Key

<b>S3</b> EN ISO 20345 Category	Anti-Slip	Anti-Static	Composite Midsole	Composite Toe-Cap
Heat Resistant	Ankle Protection	Metal Free	<b>NS</b> Non-Safety	Oil Resistant
Chemical Resistant	Shock Absorbent	Side Zip	<b>SRC</b> Slip Resistant	Steel Midsole
Steel Toe-Cap	Waterproof	Waterproof & Breathable	Thermal Lining	



**Blackrock****ULTIMATE S3 SRC SAFETY BOOT**

Steel toe cap and protective midsole. Water resistant leather upper with padded ankle support. Energy absorbing cushioned heel to reduce foot fatigue. Fuel oil resistant sole. Anti-static. Double density PU shock absorbent sole. Fully moulded and removable insole. Wide fitting for added comfort.

**Conforms to:** EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size	
■ Black	ST421B	UK 3 - 13	

**Blackrock****PANTHER S3 SRC SAFETY BOOT**

Steel toe cap and protective midsole. Water resistant leather upper with padded ankle support. Double density PU shock absorbent sole. Anti-static sole. Fully moulded and removable insole. Wide fitting for added comfort.

**Conforms to:** EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size	
■ Black	ST969	UK 3 - 13	

**Blackrock****TREKKING S3 SRC SAFETY BOOT**

Steel toe cap and protective midsole. Water resistant leather upper with padded ankle support. Energy absorbing cushioned heel to reduce foot fatigue. Fuel oil resistant sole. Anti-static. Double density PU shock absorbent sole. Fully moulded and removable insole. Wide fitting for added comfort.

**Conforms to:** EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size	
■ Black	ST839	UK 3 - 13	



Blackrock



AVENGER S3 WR HRO SRC SAFETY BOOT

Waterproof. Steel toe cap and protective midsole. Heavy duty bump cap for added durability. Energy absorbing cushioned heel to reduce foot fatigue. Heat resistant sole. Anti-static, fuel oil resistant sole. Leather upper. Hard-wearing PU/rubber sole. Fully moulded and removable insole. Wide fitting for added comfort.

Conforms to: EN ISO 20345:2011 S3 WR HRO SRC

Colour	Product Code	Size	
Black	ST1319	UK 6 - 13	



Blackrock



SENTINEL S3 SRC SAFETY BOOT

Composite toe cap and midsole for enhanced protection. Water resistant leather upper with padded ankle support. Double density PU shock absorbent, anti-static sole. Energy absorbing cushioned heel to reduce foot fatigue. Fuel oil resistant outsole. Fully moulded and removable. Wide fitting for added comfort.

Conforms to: EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size	
Black	ST1388	UK 3 - 13	



Blackrock



LUNAR S3 SRC SAFETY BOOT

Steel toe cap and protective midsole. Scuff cap for enhanced durability. Energy absorbing cushioned heel to reduce foot fatigue. Fuel oil resistant sole. Water resistant leather upper with padded ankle support. Anti-static sole. Double density PU shock absorbent sole. Fully moulded and removable insole. Wide fitting for added comfort.

Conforms to: EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size	
Black	ST1337	UK 3 - 13	



Blackrock

**ATLAS S3 SRC SAFETY SHOE**

Metal free and lightweight for greater comfort. Composite high impact resistant toe cap. Protective composite midsole. Double density PU shock absorbent sole. Water resistant leather upper with padded ankle support. Anti-static sole. Fully moulded and removable insole. Wide fitting for added comfort.

**Conforms to:** EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size	
Black	ST1062	UK 3 - 13	



Blackrock

**ULTIMATE S3 SRC SAFETY SHOE**

Steel toe cap and protective midsole. Water resistant leather upper with padded ankle support. Energy absorbing cushioned heel to reduce foot fatigue. Fuel oil resistant sole. Anti-static sole. Double density PU shock absorbent sole. Fully moulded and removable insole. Wide fitting for added comfort.

**Conforms to:** EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size	
Black	ST422B	UK 3 - 13	



Blackrock

**ORION S1-P SRC COMPOSITE TRAINER**

Metal free and lightweight for greater comfort. Composite high impact resistant toe cap. Protective composite midsole. Energy absorbing cushioned heel to reduce foot fatigue. Fuel oil resistant sole. Anti-static sole. Leather upper. Double density PU shock absorbent sole. Fully moulded & removable insole. Wide fitting for added comfort.

**Conforms to:** EN ISO 20345:2011 S1-P SRC

Colour	Product Code	Size	
Black	ST1354	UK 3 - 13	





Blackrock



DEALER SB-P SRC SAFETY BOOT

Steel toe cap and protective midsole. Energy absorbing cushioned heel to reduce foot fatigue. Fuel oil resistant sole. Leather upper. Double density PU shock absorbent sole. Fully moulded and removable insole. Wide fitting for added comfort.

Conforms to: EN ISO 20345:2011 SB-P SRC

Colour	Product Code	Size	
Black	SS600	UK 3 - 13	
Brown	SS808	UK 3 - 13	



COFRA



BAFFIN S3 SRC SAFETY BOOT

Upper: Water repellent printed leather. Lining: SANY-DRY breathable, antibacterial, it absorbs and releases moisture, abrasion resistant. Fubbett: AIR footbed, made of EVA and fabric, anatomic, holed, antistatic. It guarantees high stability thanks to its different thicknesses in the plantar area. Outsole: Dual density PU. Plus: Non metallic APT Plate, non metallic TOP RETURN toe cap, non magnetic.

Conforms to: EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size	
Black	ST803	UK 5 - 13	



COFRA



NEW HURRICANE S3 WR SAFETY BOOT

Upper: Water repellent grain leather. Lining: GORE-TEX Performance Comfort Footwear. Fubbett: Full PROFESSIONAL-DRY made of felt, antistatic, with shock absorbing PORON insert in the heel area. Outsole: Dual density PU. Plus: Non metallic APT Plate – Antiperforation Textile, hot and cold insulation, padded heel for higher comfort, bellows tongue.

Conforms to: EN ISO 20345:2011 S3 WR

Colour	Product Code	Size	
Black	ST720	UK 6 - 12	





### NEW TORONTO S3 WR SRC SAFETY BOOT

Upper: Water repellent Pull-up nubuck and CORDURA . Lining: GORETEX Performance Comfort Footwear. Fubbett: AIR footbed, made of EVA and fabric, anatomic, holed, antistatic. It guarantees high stability thanks to its different thicknesses in the plantar area. Outsole: Dual density PU. Midsole: Non metallic APT Plate zero perforation, TOE CAP: Non metallic TOP RETURN.

**Conforms to:** EN ISO 20345:2011 S3 WR SRC

Colour	Product Code	Size
Tan	ST755	UK 6 - 12




### MODIGLIANI S3 SRC SAFETY BOOT

Upper: water repellent full grain leather. External lining: breathable textile. Internal lining: 100% polyamide fabric, ladder-proof, antibacterial, breathable, it absorbs and releases the moisture, abrasion resistant. Footbed: air footbed, made of EVA and fabric, antistatic, anatomic, holed. It guarantees high stability thanks to its different kinds of thickness in the plantar area. Sole: polyurethane/ TPU. Toe cap: non metallic top return resistant to 200 j. Midsole: non metallic apt plate - zero perforation. Width: 11 mondopoint. Plus: TPU toe cap protection.

**Conforms to:** EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size
Black	ST1017	UK 3 - 13



### NEW RENO UK S3 SRC SAFETY BOOT

Upper: Water repellent leather. Steel toecap and steel midsole. Padded collar and tongue. Lining: TEXELLE breathable, it absorbs and releases moisture, abrasion resistant. Fubbett: Full piece, anatomic, holed, removable, antistatic, covered with TEXELLE. Sole: dual-density polyurethane.

**Conforms to:** EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size
Black	ST785	UK 5 - 13





### ETHYL S3 SRC SAFETY BOOT

Upper: Water repellent LORICA®. Lining: SANY-DRY® breathable, antibacterial, it absorbs and releases moisture, abrasion resistant. Fubbett: AIR footbed, made of EVA and fabric, anatomic, holed, antistatic. It guarantees high stability thanks to its different thicknesses in the plantar area. Outsole: Slip resistant dual density PU. Plus: Non metallic TOP RETURN, Non metallic APT plate, FOOTWEAR FOR CHEMICAL INDUSTRY.

**Conforms to:** EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size	
Black	ST1014	UK 6 - 12	



### ALEXANDER S3 HRO SRC SAFETY SHOE

Upper: Water repellent grain leather. Lining: CAMBRELLE 100% polyamide, breathable, absorbing and releasing moisture, abrasion resistant. Fubbett: Full SOFT-BED, made of extremely soft PU, anatomic, removable, antistatic, covered with cloth. Cold and heat insulation. Outsole: PU/Nitrile rubber resistant to + 300°C (1 minute contact). Plus: Mon metallic APT Plate, non metallic TOP RETURN toe cap, metal free.

**Conforms to:** EN ISO 20345:2011 S3 HRO SRC

Colour	Product Code	Size	
Black	ST854	UK 3 - 12	



### HELIUM S3 SRC SAFETY SHOE

Upper: water repellent Ecolorica®. External lining: Ecolorica®. Internal lining: sany-dry® 100% polyester fabric, three-dimensional, breathable, antibacterial, it absorbs and releases the moisture, abrasion resistant. Footbed: air footbed, made of eva and fabric, antistatic, anatomic, holed. It guarantees high stability thanks to its different kinds of thickness in the plantar area. Sole: slip resistant dual density polyurethane. Toe cap: non metallic top return resistant to 200 j. Midsole: non metallic apt plate - zero perforation. Width: 11 mondopoint. Performances and technical features: 100% metal free, chemical resistance, slip resistant sole.

**Conforms to:** EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size	
Black	ST1013	UK 3 - 12	







### BISMARCK S3 SRC SAFETY SHOE

Upper: Water repellent printed leather. Lining: SANY-DRY breathable, antibacterial, it absorbs and releases moisture, abrasion resistant. Fubbett: AIR footbed, made of EVA and fabric, anatomic, holed, antistatic. Outsole: Dual density PU. Plus: Non metallic APT Plate, non metallic TOP RETURN toe cap, non magnetic.

**Conforms to:** EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size	
Black	ST802	UK 5 - 13	



### SUEZ S1 P SRC SAFETY TRAINER

Upper: Suede leather and breathable textile. Lining: SANY-DRY breathable, antibacterial, it absorbs and releases moisture, abrasion resistant. Fubbett: AIR footbed, made of EVA and fabric, anatomic, holed, antistatic. It guarantees high stability thanks to its different thicknesses in the plantar area. Outsole: Dual density PU. Plus: Non metallic APT Plate, non metallic TOP RETURN toe cap, non magnetic.

**Conforms to:** EN ISO 20345:2011 S1 P SRC

Colour	Product Code	Size	
Black	ST800	UK 3 - 13	



### ZATPEK S3 SRC SAFETY TRAINER

Upper: Water repellent leather. Lining: SANY-DRY breathable, antibacterial, it absorbs and releases moisture, abrasion resistant. Fubbett: Cofra Soft, footbed made of perfumed PU, anatomic, soft and comfortable; the shape of the bottom part guarantees impact energy absorption (shock absorber) and high grip; the upper part absorbs moisture and keeps the foot dry. Outsole: PU/TPU. Plus: Aluminium 200J toe cap, non metallic APT Plate midsole.

**Conforms to:** EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size	
Black	ST954	UK 2 - 13	





### CARAVAGGIO S3 SRC SAFETY TRAINER

Upper: water repellent full grain leather. External lining: breathable textile. Internal lining: 100% polyamide fabric, ladder-proof, antibacterial, breathable, it absorbs and releases the moisture, abrasion resistant. Footbed: air, made of eva and fabric, anatomic, holed. It guarantees high stability thanks to its different kinds of thickness in the plantar area. Sole: polyurethane/TPU. Toe cap: non metallic top return resistant to 200 J. Midsole: non metallic apt plate - zero perforation. Plus: TPU toe cap protection. Performances and technical features: 100% metal free, toe cap protection.

**Conforms to:** EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size	
Black	ST1232	UK 6 - 12	



### JOLLY 840/GA DUTY BOOTS

Durable and comfortable. Good stability both for walking and running on all surfaces. Lining: GORE-TEX® Performance Comfort footwear, excellent for various climate conditions and for outdoor activities. Waterproof and Breathable upper (breathability is 500% higher than the European Standard EN ISO 20345 5.4.6 requirement). Extremely comfortable for long-day usage thanks to the soft PU midsole. The cold insulation is 60% higher than the European Standard EN ISO 20345 6.2.3.2 requirements. Excellent grip on uneven grounds (the outsole is 40% more durable than the European Standard EN ISO 20345 5.8.3 requirement). Anatomically shaped runner surface which reduces the bonding of the outsole for a better walk and rolling of the foot. The sole bonding strength is 40% higher than the European Standard EN ISO 20345 5.3.1.2 requirement. The energy absorption in the heel area is 100% higher than the European Standard EN ISO 20345 6.2.4 requirement. Outsole resistant to fuel oil with metallic antiperforation plate.

**Conforms to:** EN ISO 20345:2011 S3 CI WR SRC

Colour	Product Code	Size	
Black	ST321	UK 3 - 13	



### UVEX 8401.2 QUATRO S3 SRC SAFETY BOOTS

Sturdy, modern safety boot with extra wide fit and water-resistant leather upper. Soft padded collar. Padded dust tongue. Breathable textile lining. Smooth-running, dirt-resistant lacing system. Ultra comfortable removable anti-static insole, with a moisture control system and improved comfort uvex 3D hydroflex® foam insole. Dual-density PUR outdoor sole with integrated heel support and protection. Self-cleaning 4.5 mm tread with excellent grip. Foamed scuffcap. Steel midsole.

**Conforms to:** EN ISO 20345 S3 SRC

Colour	Product Code	Size	
Black	A083U09019	UK 5 - 13	



### ARMSTRONG S3 BOOTS SRC

Steel toe cap to protect your toes. Steel plate to protect the sole of your feet from nails. Double density PU outsole - hardwearing but comfy. Nubuck water resistant leathers - helps keep your feet dry. Breathable lining by Drilex - stops your feet getting sweaty and uncomfortable. Clima Cork System patented by No Risk - cork moulds to your footprint for incredible comfort.

**Conforms to:** EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size
Black	ST578	UK 5 - 12




### FRANKLYN WATERPROOF S3 LEATHER BOOTS SRC

Dual density PU outsole - hardwearing but comfortable under foot. Black full grain leathers - durable and flexible. Roomy steel toe cap - Protects your toes from impacts. Steel midsole - the midsole stops nails from puncturing the sole of your foot. Waterproof Sympatex membrane - water cannot get through so your feet stay dry. Clima Cork System - No Risk patented Clima cork system to mould to your footprint.

**Conforms to:** EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size
Black	ST579	UK 6 - 12



### VOYAGER WATERPROOF S3 BOOTS SRC

Brown nubuck leather upper. Waterproof with Sympatex membrane. Steel toecap. Double density PU and TPU outsole. Water resistant leather. Kevlar midsole protection for flexibility and lightness when walking. PU: anti-vibration, antistatic, oil resistant, shock absorbant, great grip. Absorbant lining. Clima Cork System insole.

**Conforms to:** EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size
Brown	ST1340	EU 39 - 48







DENVER S3 BROWN DEALER BOOT SRC  
BOSTON S3 BLACK DEALER BOOT SRC

Sole: Double density PU. Steel toe cap and steel midsole Upper Raw Materials: Full grain leather. Lining Materials: Dri-Lex Textile. Clima Cork System - No Risk patented Clima Cork System to mould to your footprint.

Conforms to: EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size	
Brown	ST1137	EU 39 - 47	
Black	ST1247	EU 39 - 47	



KING S3 SAFETY SHOE SRC

The King safety shoe is S3 rated with a double density PU sole, steel toecap and a steel midsole. Dri-Lex Textile breathable lining. Kevlar midsole protection for flexibility and lightness when walking. Black nubuck leather. Oil and acid resistant. Clima Cork System - No Risk patented Clima Cork System to mould to your footprint.

Conforms to: EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size	
Black	ST580	UK 6 - 13	



ATLANTIS S3 SAFETY TRAINER SRC

Black nubuck leather upper. Steel toecap. Double density PU and TPU outsole. Water resistant leather. PU: anti-vibration, antistatic, oil resistant, shock absorbant, great grip. Kevlar midsole protection for flexibility and lightness when walking. Absorbant lining. Clima Cork System insole.

Conforms to: EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size	
Black	ST1343	EU 39 - 48	





### TRACK S3 SRC SAFETY BOOT

Upper: Full grain water resistant leather. Lining: WingTex air tunnel textile lining material. Safety toe cap: AirToe composite perforated safety toe cap with breathable membrane. Pierce-resistant: classic steel midsole. Footbed: Action Dry anatomic, breathable footbed, in EVA support with textile material. Sole: soft P.U. comfort inner layer. Outer sole: antislip, antistatic and hard wearing P.U.

**Conforms to:** EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size	
Black	ST921	UK 3 - 13	



### MUSTANG S3 SRC SAFETY SHOE

Upper: Full grain water resistant leather. Lining: WingTex air tunnel textile lining material. Safety Toe Cap: AirToe composite perforated safety toe cap with breathable membrane. Pierce-resistance: classic steel midsole. Footbed: Action Dry anatomic, breathable footbed, in EVA support with textile material. Sole: soft P.U. comfort inner layer. Outer sole: antislip, antistatic and hard wearing P.U.

**Conforms to:** EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size	
Black	ST922	UK 3 - 13	



### SAUNT S3 SRC SAFETY BOOT

Black leather. Water resistant padded boot. Dual density PU sole. Antistatic. Heat resistant to 200 degrees. Steel midsole. Upper: pigmented split leather. Lining: polyamide. Footbed: removable preformed polyamide on EVA with footarch support. Outsole: dual density PU outsole with scuffcap. Shock resistant and crushproof toecap (200 Joules). Energy absorber heel. Slip resistant studded and punctureproof sole. Fabric – Full grain quality leather.

**Conforms to:** EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size	
Black	A080103015	UK 6 - 13	





### TW300 S3 SRC SAFETY SHOE

Full grain leather shoes. Upper: full grain leather, S3 water resistant treatment, with rubber scuff cap. Lining: polyamide absorbing. Insole: removable preformed - polyester on PU. Midsole: cemented - PU with Panoshock shock absorber. Outsole: rubber nitrile. Non metallic footwear.

**Conforms to:** EN ISO 20345:2011 S3 HRO HI CI SRC

Colour	Product Code	Size	
Black	ST1407	UK 6 - 13	



### TW400 S3 SRC SAFETY BOOTS

Full grain leather boots. Upper: full grain leather, S3 water resistant treatment, with rubber scuff cap. Lining: polyamide absorbing. Cambrelle breathable liner. Insole: removable preformed - polyester on PU. Midsole: cemented - PU with Panoshock shock absorber. Outsole: rubber nitrile. Non metallic footwear.

**Conforms to:** EN ISO 20345:2011 S3 HRO HI CI SRC

Colour	Product Code	Size	
Black	ST1408	UK 6 - 13	



### XR502 S3 SRC SAFETY TRAINER

Upper: Nubuck leather and nylon mesh, S3 water resistant treatment. Lining: polyamide absorbing. Insole: removable preformed - polyamide on EVA. Midsole: cemented - PU with shock absorber Panoshock. Outsole: rubber. Non metallic shoe.

**Conforms to:** EN ISO 20345:2011 S3 HRO SRC

Colour	Product Code	Size	
Black	ST1411	UK 6 - 12	







### DELTA SPORT S1P SRC SAFETY TRAINER

Upper: injected PU on mesh. Lining: polyester. Insole: removable preformed - polyester on EVA. Outsole: cemented - phylon. Outsole: rubber nitrile. Non metallic footwear. Ultra lightweight.

**Conforms to:** EN ISO 20345:2011 S1P HRO SRC

Colour	Product Code	Size	
Black/Red	ST1409	UK 6 - 12	
Blue/Yellow	ST1410	UK 6 - 12	



### MIAMI S1P SRC POLYESTER COTTON SHOES

Upper: polyester and cotton. Insole: removable preformed - polyester on EVA. Midsole: injected - single density PU. Ultra light and comfortable. Perfect for indoor light industrial work.

**Conforms to:** EN ISO 20345:2011 S1P SRC

Colour	Product Code	Size	
Black	ST1415	UK 2 - 11	



### MIAMI S2 SRC MICROFIBRE/PU SHOES

Upper: microfibre/PU. Insole: removable preformed - polyester on EVA. Midsole: injected - single density PU. Water resistant upper in microfibre. Machine wash up to 30° C, easy to maintain. Ultra light and comfortable. Perfect for indoor light industrial work.

**Conforms to:** EN ISO 20345:2011 S2 SRC

Colour	Product Code	Size	
White	ST1416	UK 2 - 11	





PRECISION SITEMASTER S3 SAFETY BOOT

Durable waterproof full-grain leather upper. Composite plastic toe cap and penetration resistant plate which is as strong as steel but much more lightweight, and also scanner safe. Padded foam collar and tongue for added comfort. Strong rustproof non-metallic scanner safe hardware. Fast wicking mesh lining for moisture management and comfort. Removable contoured moulded insole. Durable high-traction slip-resistant dual density PU outsole with ladder grips.

Conforms to: EN ISO 20345:2011 (SB) S3 WR SRC

Colour	Product Code	Size
Black	ST1304	UK 6 - 13



ROADMASTER S3 SAFETY BOOT

Durable full-grain leather upper. Hardwearing TPU toe guard & heel support structure for added protection. Composite plastic toe cap and penetration resistant plate which is as strong as steel but much more lightweight, and also scanner safe. Padded foam collar and tongue for added comfort. Strong rustproof non-metallic scanner safe hardware. Fast wicking mesh lining for moisture management and comfort. Removable contoured moulded insole. PU high density midsole for long lasting support. Durable high-traction slip-resistant rubber outsole with ladder grips – heat resistant to 300°C.

Conforms to: EN ISO 20345:2011 (SB) S3 HRO WR SRC

Colour	Product Code	Size
Black	ST1303	UK 6 - 13





### RIGMASTER S3 SAFETY BOOT

Durable, waterproof, full grain leather upper. Hardwearing TPU toe guard for added protection. YKK side-zip for easy access. Waterproof & breathable bootie membrane construction. Padded foam collar and tongue for added comfort. Lightweight composite hardware with lace locking cleats. Highly breathable mesh lining for maximum comfort. PU foam insole for maximum comfort & shock absorption. PU high density midsole for long lasting support. Durable high-traction SRC slip-resistant anti-static rubber outsole.

**Conforms to:** EN ISO 20345:2011 S3 SRC WR HRO

Colour	Product Code	Size	
Black	ST1429	UK 5 - 13	



### RAVINE WATERPROOF 'SOFT TOE' BOOT

Full grain waxed 2mm Anfibio leather for comfort and durability. Waterproof bootie construction to ensure dry feet. Moisturewicking lining. Nylon midsole insert for added torsional rigidity. European construction. High quality rubber outsole for traction and extended wear. EVA sole inserts provide cushioning and comfort.

Colour	Product Code	Size	
Dark Brown	ST1074	UK 7 - 12	







S3 SAFETY BOOT WITH 2D-PU SOLE

Water resistant leather upper with padded collar. Steel toecap and midsole. Fuel oil resistant outsole. Anti-static sole. Energy absorbing cushioned heel. Double density PU shock absorbent sole. Fully moulded and removable insole.

Conforms to: EN345 S3

Colour	Product Code	Size
Black	ST421	UK 3 - 13



S3 WATERPROOF BOOT

Water resistant leather upper with padded collar. Waterproof bootie membrane. Lightweight composite toecap & midsole. Metal Free. Fuel oil resistant outsole. Anti-static sole. Energy absorbing cushioned heel. Double density PU shock absorbent sole. Fully moulded and removable insole.

Conforms to: EN ISO 20345:2011 S3

Colour	Product Code	Size
Black	ST335A	UK 3 - 13





### S3 CHUKKA BOOT WITH 2D-PU SOLE

Water resistant leather upper with padded collar. Steel toecap & midsole. Fuel oil resistant outsole. Anti-static sole. Energy absorbing cushioned heel. Double density PU shock absorbent sole. Fully moulded and removable insole.

**Conforms to:** EN345 S3

Colour	S3 Boot	S1P Boot	Size
Black	ST482	ST482C	UK 3 - 13



### S3 SAFETY SHOE WITH 2D-PU SOLE

Water resistant leather upper with padded collar. Steel toecap & midsole. Fuel oil resistant outsole. Anti-static sole. Energy absorbing cushioned heel. Double density PU shock absorbent sole. Fully moulded and removable insole.

**Conforms to:** EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size
Black	ST485	UK 3 - 13





### BRISTOL S3 SRC LEATHER SHOES

Upper: derby light pigmented grain leather. Lining: polyamide. Insole: removable - EVA foam. Outsole: mono density PU. Non metallic shoe.

Conforms to: EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size
Black	ST1413	UK 6 - 13



### RICHMOND S1 SRC LEATHER SHOES

Upper: oxford light pigmented grain leather. Brogue shoe. Lining: polyamide. Insole: removable - EVA foam. Outsole: mono density PU. Non metallic shoe.

Conforms to: EN ISO 20345:2011 S1 SRC

Colour	Product Code	Size
Black	ST1412	UK 6 - 13



### BROGUE S1-P SRC SAFETY SHOE

Steel toe cap. Protective steel midsole. Smooth leather traditional design. Double density PU shock absorbent sole. Fully moulded and removable insole.

Conforms to: EN ISO 20345 S1-P SRC

Colour	Product Code	Size
Black	ST456	UK 6 - 12



### OXFORD STYLE S2 SAFETY SHOE

Air light lining. Lightweight dual density polyurethane sole. 200 Joules toe cap. Anti static and anti-slip. Petrol, chemical and oil resistant. Shock absorption. Water repellent.

Conforms to: EN ISO 20345 S2

Colour	Product Code	Size
Black	ST451	UK 5 - 12







### UNBRANDED S1-P SRC RIGGER BOOT

Steel toe cap and protective steel midsole. Leather upper triple stitched for extra strength. Fur lined. Fuel oil resistant outsole. Anti-static sole with toe protector. Double density PU shock absorbent sole. Fully moulded and removable insole. Wide fitting. Supplied in plain white box.

**Conforms to:** EN ISO 20345:2011 S1-P SRC

Colour	Product Code	Size	
Tan	ST1370	UK 5 - 13	



**Blackrock**

### FUR LINED S1-P SRC RIGGER BOOT

Steel toe cap and protective midsole. Water resistant uppers with triple stitch for extra strength. Fur lined. Kick plate heel. Energy absorbing cushioned heel to reduce foot fatigue. Fuel oil resistant sole. Anti-static sole. Double density PU shock absorbent sole. Fully moulded and removable insole. Wide fitting for added comfort.

**Conforms to:** EN ISO 20345:2011 S1-P SRC

Colour	Product Code	Size	
Black	ST602	UK 5 - 13	
Tan	ST627B	UK 5 - 13	



### APACHE BROWN LEATHER S3 RIGGER BOOT

Brown oiled leather water resistant rigger boot. Extended size range. Fleece lined. Padded ankle region. Steel toe cap and mid-sole. PU dual density sole. Chemical resistant sole. Oil resistant sole. Shock absorption sole. Anti static.

**Conforms to:** EN345 S3

Colour	Product Code	Size	
Brown	AP305	UK 5 - 13	



Jallatte



JALASKA RIGGER BOOT J0266

Tan rigger safety work boot J0266 has a high density PU outer sole. This sole is proven to be resistant to abrasion, hydrocarbons, greases and oils. The Softane™ comfort midlayer sole gives great absorption. The natural full grain AP23 leather upper is 3 x times more oil and water repellent than standard leathers. Comes with steel midsole and toecap and is fully antistatic. Upper: AP23™ leather. Oil- and water-repellent. Front Foot Lining: Non-woven fabric. Safety Toe Cap: Aérfort 200J, perforated steel toe cap - for better breathability. Footbed: Comfort-Tech: anatomic, antibacterial, shock absorber in the heel. Sole: Softane™ dual density PU with progressive heel shock absorber for comfort.

Conforms to: EN ISO 20347 S3 CI HRO

Colour	Product Code	Size
Tan	A085J03002	UK 4 - 13



Jallatte



JALARCHER SAFETY BOOT JJV28

8" premium black boot by Jallatte (Jal) with non-metallic safety toe cap. Suitable for off-shore and construction. The Jalarcher uses a unique black leather upper for water resistance. Composite safety toe cap & pierce resistant composite midsole. Upper: Water-repellent full grain leather. Anti-abrasion heel protection and reflective insert for improved visibility. Ergonomic padded collar. Padded/gel ankle protector spot. Anti-abrasion PU scuff cap. YKK waterproof side zip for quick release with velcro protection. Reflective tape at the heel. Lining: 3D Lining. Three dimensional foam structures incorporated within a honeycombed architecture for greater ventilation. Toe Cap: Aérane-Tech 200J. Perforated safety toe cap for perfect foot ventilation. 100% composite. Non-magnetic, lightweight. Footbed: Confort-Tech: anatomic, antibacterial, shock absorber in the heel area. Midsole: FleXtane™ HP. Sole: Kompact Vibram®, contact heat resistant up to 300°.

Conforms to: EN ISO 20347 S3 S3 HRO SRC

Colour	Product Code	Size
Black	A085J03008	UK 6 - 12





### COFRA CHAINSAW BOOTS - CLASS 2 POWER

Water repellent full grain leather with cut protection. TEXELLE breathable, abrasion resistant lining. Full SOFT-BED, made of extremely soft PU, anatomic, removable, antistatic, covered with cloth. Cold and heat insulation. Stitched sole fully made of Nitrile rubber resistant to + 300°C (1 minute contact). Special protection in the forepart to protect against chainsaw cuts. Non metallic APT Plate. Nitrile rubber toe cap protection, sealed seams.

**Conforms to:** EN ISO 17249:2013

Colour	Product Code	Size	
Black	ST842	6 - 13	



### COFRA WELDER S3 HRO SRC SAFETY BOOT

Upper: water repellent printed leather. External lining: breathable synthetic. Internal lining: texelle 100% polyamide fabric, breathable, it absorbs and releases the moisture, abrasion resistant. Footbed: air footbed, made of eva and fabric, antistatic, anatomic, holed. It guarantees high stability thanks to its different kinds of thickness in the plantar area. Sole: polyurethane/nitrile rubber resistant to +300 °c (1 minute contact). Toe cap: non metallic top return resistant to 200 j. Midsole: non metallic apt plate - zero perforation. Width: 10 mondopoint (size 39/6) - 11 mondopoint (size 40-48/6,5-13). Plus: fireproof seams, laces protection, adjustable velcro closure, polyurethane toe cap protection. Performances and technical features: anti-torsion support, toe cap protection.

**Conforms to:** EN20345 S3 HRO SRC

Colour	Product Code	Size	
Black	ST891	UK 6 - 13	



### COFRA NEW VIGO S3 SRC SAFETY BOOT (NO LACES)

Upper: water repellent printed leather. External lining: breathable synthetic. Internal lining: sany-dry® 100% polyester, three-dimensional, breathable, it absorbs and releases moisture, abrasion resistant. Footbed: air footbed, made of eva and fabric, antistatic, anatomic, holed. It guarantees high stability thanks to its different kinds of thickness in the plantar area. Sole: dual density polyurethane. Toe cap: fiberglass cap, non metallic fiberglass resistant to 200 j. Midsole: non metallic apt plate - zero perforation. Width: 11 mondopoint. Plus: leather protection with adjustable velcro closure. Performances and technical features: 100% metal free.

**Conforms to:** EN20345 S3 SRC

Colour	Product Code	Size	
Black	ST460	UK 6 - 12	







### HYGIENE SHOE LACED

Lace up plain front shoe. Steel toe cap. Padded collar. Mono density sole.

**Conforms to:** EN345 S2 SRC

Colour	Product Code	Size	
<input type="checkbox"/> White	ST4031C	UK 3 - 13	
<input checked="" type="checkbox"/> Black	ST1347	UK 3 - 13	

S2 SRC



### HYGIENE SHOE SLIP-ON

Unisex slip-on hygiene shoes with steel toe caps. Anti-static. Padded collar. Shock absorbing dual density polyurethane sole.

**Conforms to:** EN ISO 20345: 2011 S2

Colour	Product Code	Size	
<input type="checkbox"/> White	ST4032C	UK 3 - 13	
<input checked="" type="checkbox"/> Black	ST1235	UK 3 - 13	

S2



### HYGIENE BOOT SLIP-ON

Unisex hygiene boot with steel toe caps. Anti-static. Padded collar. Shock absorbing dual density polyurethane sole.

**Conforms to:** EN ISO 20345: 2011 S2

Colour	Product Code	Size	
<input type="checkbox"/> White	ST530 B	UK 3 - 12	

S1 SRC



### HYGIENE BOOT LACED

Upper: Microsafe waterproof. Lining: antibacterial fabric. Sole: monodensity PU. Toecap: steel resistant to 200J.

**Conforms to:** EN345 S2 SRC

Colour	Product Code	Size	
<input type="checkbox"/> White	ST531B	UK 2 - 12	

S2 SRC



### SAFETY TRAINER

Superior SRC slip resistant sole unit. Water resistant. Microfibre upper enables machine washing at 40°. Self-cleaning, lightweight PU sole. Steel toe cap. Anti-static sole unit resistant to oils and acids.

**Conforms to:** EN ISO 20345:2011 S2 SRC

Colour	Product Code	Size	
<input checked="" type="checkbox"/> Black	ST1348	UK 3 - 13	

S2 SRC



### ABS 121 PR S2 SRC SAFETY SHOE

Black lace up venice action leather shoe. Upper: black venice action leather. Lining: black rhombus mesh. Insole: 972# black cambrelle + EVA seat sock. Outsole: black PU midsole/black ABS rubber outsole. Excellent anti-slip properties. Self cleaning sole.

**Conforms to:** EN ISO 20345:2011 S2 SRC

Colour	Product Code	Size	
Black	ST1414	UK 3 - 8	

S2



### ELENOIRE S3 SRC SAFETY SHOE

Upper: water repellent full grain leather. External lining: breathable leather. Internal lining: leather and 100% polyester fabric, three-dimensional, breathable, antibacterial, it absorbs and releases the moisture, abrasion resistant. Footbed: air footbed, made of EVA and fabric, antistatic, anatomic, holed. It guarantees high stability thanks to its different kinds of thickness in the plantar area. Sole: dual density polyurethane. Toe cap: non metallic TOP RETURN resistant to 200 j. Midsole: non metallic APT plate - zero perforation. 100% metal free, Italian leather.

**Conforms to:** EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size	
Black	ST1040	UK 3 - 8	

S3



### EVELYNE S3 SRC SAFETY BOOT

Upper: Water repellent full grain leather. Lining: SANY-DRY breathable, antibacterial, it absorbs and releases moisture, abrasion resistant. Fubbett: AIR footbed, made of EVA and fabric, anatomic, holed, antistatic. It guarantees high stability thanks to its different thicknesses in the plantar area. Outsole: Dual density PU. Plus: Midsole non metallic APT Plate - zero perforation, Toe cap non metallic TOP RETURN, Metal free.

**Conforms to:** EN ISO 20345:2011 S3 SRC

Colour	Product Code	Size	
Black	ST1012	UK 3 - 8	

S3 SRC





### PUROFORT® THERMO+ FULL SAFETY C662933

Insulated down to -50° C. S5, steel toecap and steel midsole for ultimate protection. Excellent grip due to dirt repellent SRC rated outsole. Solid fit. Premium insole with ergonomically shaped foot bed.

**Conforms to:** EN ISO 20345:2011 S5 CI SRC

Colour	Product Code	Size
Green	ST1057	EU 37 - 48



### PUROFORT RIG AIR FULL SAFETY FUR LINED C462743.FL

Lightweight. Cold insulation down to -20°C. Pull on straps. Easy to clean.

**Conforms to:** EN ISO 20345:2011 S5 CI SRA

Colour	Product Code	Size
Tan	ST622	EU 39 - 48



### PUROFORT®+ FULL SAFETY C762933

S5, steel toecap and steel midsole for ultimate protection. Anatomically shaped foot bed with increased room in toe area. Excellent grip due to dirt repellent SRC rated outsole and slip resistant insert. Premium insole with ergonomically shaped foot bed.

**Conforms to:** EN ISO 20345:2011 S5 CI SRC

Colour	Product Code	Size
Green	ST5808	EU 36 - 48



### PUROFORT PROFESSIONAL FULL SAFETY C462933

S5, Steel toecap and steel midsole for ultimate protection. Dirt repellent SRA rated outsole. Insulated down to -20° C.

**Conforms to:** EN ISO 20345:2011 S5 CI SRA

Colour	Product Code	Size
Green	A132D17026	EU 37 - 48





### PUROFORT PROFESSIONAL FULL SAFETY C462241

Lightweight. Cold insulation down to -20°C. Easy to clean.

**Conforms to:** EN ISO 20345:2011 S5 CI SRA

Colour	Product Code	Size	
Yellow	A132D17016	EU 37 - 48	



### ACIFORT RIBBED FULL SAFETY A252931

SRA non slip. Extra ankle support. Extra durability through added nitrile and polymers, anti-static.

**Conforms to:** EN ISO 20345:2011 SB P A FO SRA

Colour	Product Code	Size	
Black	ST6502	EU 40 - 47	



### ACIFORT® HEAVY DUTY FULL SAFETY A442631

S5, Steel toecap and steel midsole for ultimate protection. Reinforced nose area. Dirt repellent SRA rated outsole. Resistance against mineral, animal and vegetable oils and fats, manure, acids, disinfectants and various chemicals.

**Conforms to:** EN ISO 20345:2011 S5 SRA

Colour	Product Code	Size	
Green	ST6501	EU 40 - 48	



### PUROFORT FOODPRO MULTIGRIP SAFETY WHITE CA61131

100% waterproof. Steel toe cap protection. Anti-static. Energy absorbing. Oil resistant outsole. Slip resistant. Extra smooth design and shaft: easy to clean. Anti-Bac Lining. Specifically designed for orthopedic insole.

**Conforms to:** EN ISO 20345:2011 S4 CI SRC

Colour	Product Code	Size	
White	ST6301	EU 36 - 48	



### PROTOMASTOR FULL SAFETY 142PP

SRA non slip.

**Conforms to:** EN ISO 20345:2011 S5 SRA

Colour	Product Code	Size	
Black	ST5600C	EU 36 - 48	



### HAZARD ULTRA FULL SAFETY

Ultimate chemical protection. Cleated slip-resistant rubber outsole. Non-absorbent polyester lining. Kick off lug for easy removal. Slip-resistant vulcanised rubber sole. Anti-static. Stainless steel midsole.

**Conforms to:** EN ISO 20345:2011 S5, EN13832

Colour	Product Code	Size	
Green	A130103002	EU 39 - 48	



### PUROFORT PROFESSIONAL D460933 NON-SAFETY

100% Waterproof. Antistatic. Cold Insulating. Energy absorbent.

Colour	Product Code	Size	
Green	DFT96FT	EU 38 - 47	



### PRICEMASTOR 380PP NON-SAFETY

Waterproof. 100% PVC.

Colour	Product Code	Size	
Black	ST5000B	EU 35 - 48	



### HUNTER S5 CI SRC SAFETY WELLINGTON

Upper: Cold Defender PU, antibacterial resistant to -25°C. Steel toecap and steel midsole. Lining: abrasion and slip resistant polyester fabric. Fubbett: full Poly-Bed, removable, antistatic, it absorbs and releases moisture, covered with Sany-Dry. Outsole: compact Poliaxid, with an effective shock absorber; resistant to mineral oils.

**Conforms to:** EN ISO 20345:2011 S5 CI SRC

Colour	Product Code	Size	
Green	ST731B	UK 3 - 13	



### TANKER S5 CI SRC SAFETY WELLINGTON

Upper: Cold Defender PU, antibacterial resistant to -25°C. Lining: abrasion and slip resistant polyester fabric. Fubbett: full poly-bed, removable, antistatic, it absorbs and releases moisture, covered with Sany-Dry. Outsole: compact Poliaxid, with an effective shock absorber; maximum resistance to mineral oils and to hydrocarbons.

**Conforms to:** EN ISO 20345:2011 S5 CI SRC

Colour	Product Code	Size	
Black	ST733B	UK 3 - 13	



### SAFEST S5 CI SRC SAFETY WELLINGTON

Internal lining: abrasion resistant polyester. Upper: cold defender pu, antibacterial, resistant to -25 °c. Outer sole: cold defender pu, antibacterial, resistant to -25°C. Footbed: metatarsal support, made of soft and scented polyurethane, antistatic, anatomic, holed, covered with cloth; it guarantees maximum comfort and shock absorption. Cold and heat insulation. Toe cap: non metallic top return resistant to 200 j. Midsole: non metallic apt plate - zero perforation. Plus: kick off lug. Performances and technical features: 100% metal free, cold protection (ci), slip resistant sole.

**Conforms to:** EN ISO 20345:2011 S5 CI SRC

Colour	Product Code	Size	
Green	ST1092	UK 5 - 13	



### THERMIC S5 CI HRO SRC SAFETY WELLINGTON

Upper: Cold Defender PU resistant to -25°C. Lining: abrasion resistant polyester. Fubbett: cold barrier, anatomic and perfumed footbed, insulating against low temperatures. The thermal comfort inside the footwear is granted thanks to the specials PU compound devised to give high insulation. Outsole/Insole: Cold Defender PU resistant to -25°C. Outer Sole: Nitrile rubber. Plus: Innovative extralight compound, abrasion resistant cleats 11 mm. Cold insulation (-50°C). non metallic APT Plate, non metallic TOP RETURN toe cap.

**Conforms to:** EN ISO 20345:2011 S5 HRO CI SRC

Colour	Product Code	Size	
Black	ST812	UK 6 - 13	
Green	ST783	UK 6 - 13	





Arvello  
WELLINGTONS

### S3 SAFETY WELLINGTON

Steel toe cap. Protective steel midsole. PVC Nitrile construction. Washable nylon lining. Reinforced toe for scuff resistance. Reinforced ankle protection. Ridged at front for enhanced metatarsal protection. Ridged at heel for added protection. Lug at heel for easy removal.

**Conforms to:** EN ISO 20345:2011 S3

Colour	Product Code	Size	
Black	ST5600D	UK 5 - 13	



Blackrock

### HYGIENE S4 SRC SAFETY WELLINGTON

Steel toe cap. Superior SRC slip resistant sole unit. Waterproof. Energy absorbing cushioned heel to reduce foot fatigue. Fuel oil resistant sole. Kick spur for easy removal. Reinforced toe cap area for added durability. PVC nitrile construction. Washable nylon lining. Anti-static sole unit resistant to oils and acids.

**Conforms to:** EN ISO 20345:2011 S4 SRC

Colour	Product Code	Size	
White	ST1144	UK 3 - 13	



Blackrock

### RED SOLE S5 SRC SAFETY WELLINGTON

Steel toe cap and protective midsole. Kick spur for easy removal. Energy absorbing cushioned heel to reduce foot fatigue. Fuel oil resistant sole. Reinforced toe cap area for added durability. PVC Nitrile construction. Washable nylon lining.

**Conforms to:** EN ISO 20345:2011 S5 SRC

Colour	Product Code	Size	
Black	ST5901	UK 3 - 13	





### DUNLOP PROTOMASTOR THIGH WADER FULL SAFETY 142VP.PP

PVC upper. Oil resistant, SRA rated outsole for perfect grip. Slip resistant to assure safe working conditions. Steel toecap and midsole.

**Conforms to:**  
EN ISO 20345:2011 S5 SRA

Colour	Product Code	Size	
Green	ST6010	EU 39 - 47	



### DUNLOP PROTOMASTOR CHEST WADER FULL SAFETY 142VP.PT

PVC upper. Oil resistant, SRA rated outsole for perfect grip. Slip resistant to assure safe working conditions. Steel toecap and midsole.

**Conforms to:**  
EN ISO 20345:2011 S5 SRA

Colour	Product Code	Size	
Green	ST6014	EU 39 - 47	



### LETZ-U-GRIP SNOW AND ICE GRIPS

Improves traction in slippery conditions. Increased stability. Reduces slipping or falling.

Colour	Product Code	Size	
Black	ST1011	Large UK 7 - 10	



### BOOT BAG

Hardwearing 600D polyester ripstop fabric. Internal baseboard. Studded feet. Easy grab pullers. Webbing carry handle. Approx Dimensions 25.5 x 33 x 24cm. Fabric 600D Polyester.

Colour	Product Code	Size	
Black	PBA11PC	25.5 x 33 x 24cm	

uvex



### UVEX HYDROFLEX GEL INSOLE

Extreme capacity to absorb and wick moisture away ensures a balanced shoe temperature. Newly developed Uvex Hydroflex GEL, visible from above, for greater effective shock absorption. Placement of shock absorption system directly beneath the heel antistatic system supports the foot arch.

Colour	Product Code	Size	
Neutral	ST4937	UK 4 - 14	

COFRA



### COFRA METATARSAL SUPPORT GEL INSOLE

Footbed made of soft PU, full piece, antistatic, anatomic, removable, covered with cloth. The soft gel insert in the metatarsal area guarantees stability and comfort even on uneven surfaces. Cold and heat insulation.

Colour	Product Code	Size	
Black	ST828	UK 3 - 13	



### HEAVY DUTY WORK SOCKS

Reinforced heel and toe. Added anti-bacterial treatment. 70% Wool, 27% Polyamid, 3% Lycra. One size fits UK 6 - 10.

Colour	Product Code	Size	
Black	PSK09PC	One Size	



### THERMAL SOCKS

Thermal insulated socks seal in warm air close to feet to keep you warmer for longer. Inner lining is brushed to create thermal insulation with high density yarns. 92% Acrylic, 7% Polyester, 1% Spandex.

Colour	Product Code	Size	
Black	PSK04PC	One Size	



REGATTA PROFESSIONAL

### WORK SOCKS RMH003

3 pair pack. Hardwearing loopstitch design. Ribbed ankle cuff for extra support. Cushioned loopstitch heel and toe. Flat toe seam for comfort. Fabric: 68% cotton, 16% Acrylic, 14% Polyester, 2% elastane. One size fits UK 6 - 11.

Colour	Product Code	Size	
Black	PSK29PC	One Size	

Dickies



### BOOT SOCKS FZ5000

Wear inside Wellingtons. Keeps feet warm and dry. Unisex.

Colour	Product Code	Size	
Black	DFT99FT	UK 3 - 13	