



Disposable Workwear  
Chemical Workwear  
Food Industry  
Catering





**SNOOD CAP**

A popular nonwoven peaked cap with a built-in elasticated snood for total hair coverage. Available in one size. Pack of 100.

Colour	Product Code	Size	
<input type="checkbox"/> White	16C000180S	One	
<input checked="" type="checkbox"/> Blue	PHT04DS	One	



**BEARD MASK**

A hygienic mask made from soft spun-bonded nonwoven fabric. One Size fits all. Sold per 100.

Colour	Product Code	Size	
<input type="checkbox"/> White	PHT06DS	One	
<input checked="" type="checkbox"/> Blue	PHT06DSBL-	One	



**MOB CAP**

Simple but effective hair covering, suitable for a multitude of environments. Made from soft, comfortable thermally bonded polypropylene fibre, with an encapsulated double-elastic edge. One size fits all. Sold per 1000.

Colour	Product Code	Size	
<input type="checkbox"/> White	PMC01DS	One	
<input checked="" type="checkbox"/> Blue	PMC03DS	One	
<input checked="" type="checkbox"/> Red	PMC02DS	One	
<input checked="" type="checkbox"/> Green	PMC06DS	One	



**HAIRNET**

Open weave nylon hairnet with an elasticated edge. Pack of 1000.

Colour	Product Code	Size	
<input type="checkbox"/> White	PHN02DS	One	
<input checked="" type="checkbox"/> Blue	PHN01DS	One	



**BOUFFANT CAPS**

Soft non-woven elasticated head cover with an elasticated edging for added strength and support. Intended to be used for low risk applications. Manufactured from soft non-woven polypropylene. Latex free elasticated edges to minimise allergic reactions. Manufactured in accordance with: European Personal Protective Equipment Directive 89/686/EEC, CE Category: Cat I Minimal Risks. Packed 10 x 100.

Colour	Product Code	Size	
<input type="checkbox"/> White	DHN08DS	21 inch	
<input checked="" type="checkbox"/> Blue	PHN04DS	21 inch	



**NON WOVEN FACE MASKS**

Manufactured from 3-ply, spunbonded polypropylene non-woven fabric with an integral plastic coated wire strip above the nose for optimum fit. 3 ply for stronger support. Integral nose plastic coated strip for optimum fit. Lightweight and comfortable. Fibre glass free. Packed in dispenser boxes. Latex free elasticated loops to minimise allergic reactions. Pack of 1000.

Colour	Product Code	Size	
<input checked="" type="checkbox"/> Blue	PMS36MS	One	
<input checked="" type="checkbox"/> Green	PMS35MS	One	





## PE DISPOSABLE OVERSLEEVES

1000 Pairs per box.

Colour	Product Code	Size	Pack Size	
White	PSL07DS	One	1000 Pairs	
Yellow	PSL06DS	One	1000 Pairs	
Blue	PSL01DS	One	1000 Pairs	
Red	PSL04DS	One	1000 Pairs	



## CPE OVERSHOES

16 inch. Sold per 1000 pairs.

Colour	Product Code	Size	Pack Size	
White	POS27DS	16"	1000 Pairs	
Yellow	POS03DS	16"	1000 Pairs	
Blue	POS01DS	16"	1000 Pairs	
Green	POS05DS	16"	1000 Pairs	
Red	POS09DS	16"	1000 Pairs	

## PE OVERSHOES

16 inch. Sold per 1000 pairs.

Colour	Product Code	Size	Pack Size	
White	POS21DS	16"	1000 Pairs	
Yellow	POS22DS	16"	1000 Pairs	
Blue	POS25DS	16"	1000 Pairs	
Green	POS23DS	16"	1000 Pairs	
Red	POS26DS	16"	1000 Pairs	



## DELUXE DISPOSABLE OVERSHOE

Compressed polyethylene sole. Polypropylene upper. Elasticated ankle grip. Embossed for grip. Size: 16 inch. Sold per 200 Pairs.

Colour	Product Code	Size	Pack Size	
White/Blue	POS13DS	One	200 Pairs	



## TYVEK CLASSIC XPERT TYV - CHF5

Robust yet lightweight (<180g per garment). 3-piece hood for optimal fit to head and face when turning. Elasticated face, wrists and ankles as well as glued-in waist elastic. Ample crotch area for freedom of movement. Large, easy-to-grasp zipper puller. Tyvek garments are composed of flash spun high density polyethylene, providing an ideal balance of protection, durability and comfort. Tyvek is permeable to both air and water vapour, yet repels water-based liquids and aerosols. It offers an excellent barrier against fine particles and fibres (down to 1 micron in size), is ultra-low-linting and antistatically treated. Silicon non-added. Applications for Tyvek Classic Xpert garments include those found in pharmaceutical handling, chemical processing, the oil and gas industry, general maintenance and operations, automatic spray painting and many others.

**Conforms to:** Chemical protective clothing, Category III, Type 5-B and 6-B, EN 14126, EN 1073-2, Antistatic treatment (EN 1149-5) - on both sides

## TYVEK CLASSIC PLUS - CHA5

Robust yet lightweight (<250g per garment). Self-adhesive chin flap for tight seal of suit to the mask. Elasticated face, wrists and ankles as well as glued-in waist elastic. Elasticated thumb loops prevent sleeves from riding up. Tyvek garments are composed of flash spun high density polyethylene, providing an ideal balance of protection, durability and comfort. Tyvek is permeable to both air and water vapour, yet repels water-based liquids and aerosols. It offers an excellent barrier against fine particles and fibres (down to 1 micron in size), is ultra-low-linting and antistatically treated. Silicon non-added. Applications for Tyvek Classic Plus garments include maintenance and dismantling jobs in the nuclear industry, pharmaceutical manufacturing or in research and biosecurity laboratories, as well as in medical applications and when exposed to biological hazards.

**Conforms to:** Chemical protective clothing, Category III, Type 4-B, 5-B and 6-B, EN 14126, Antistatic treatment (EN 1149-5) - on both sides

## TYVEK CLASSIC PLUS WITH SOCKS - CHA6

Same design features as model CHA5, plus: socks attached to the ankle for wearing inside safety boots or shoes with additional knee length boot flap to ensure high level of protection. Stitched and overtaped seams offering equal barrier as fabric.



Colour	Product Code	Size
White	PBS03DS	S - 3XL
Green	PBS26DS	S - 3XL
Blue	BBS04DS	S - 3XL

Colour	Product Code	Size
White	PBS31DS	S - 4XL
White c/w socks	PBS23DS	S - 3XL



**EASYSAFE TYPE 5/6  
DISPOSABLE  
COVERALL**

DuPont™ Easysafe, model CHF5. Hooded coverall available in white, sizes S to XXXL. Robust yet lightweight (<180g per garment). 2-piece hood. Elasticated face, wrists, waist and ankles. Easysafe fabric is a new and unique optimised polyethylene nonwoven from DuPont. It is softer and with a more open structure than Tyvek. It is therefore less protective than Tyvek, but offers adequate Type 5 and 6 barrier protection and remains both air and moisture vapour permeable.

**Conforms to:** Chemical protective clothing, Category III, Type 5 and 6, EN 1073-2, Antistatic treatment (EN 1149-1) - on outside.



Colour	Product Code	Size	
<input type="checkbox"/> White	PBS30DS	S - 3XL	



**TYVEK INDUSTRY - CCF5**

Robust yet lightweight coverall (<180g per garment). Elasticated wrists, waist and ankles. Gusset for improved fit. Tyvek garments are composed of flash spun high density polyethylene, providing an ideal balance of protection, durability and comfort. Tyvek is permeable to both air and water vapour, yet repels water-based liquids and aerosols. It offers an excellent barrier against fine particles and fibres (down to 1 micron in size), is ultra-low-linting and antistatically treated. Silicon non-added.

**Conforms to:** Chemical protective clothing, Category III, Type 5 and 6, EN 1073-2, Antistatic treatment (EN 1149-5) - on both sides

Colour	Product Code	Size	
<input type="checkbox"/> White	DBS06DS	S - 3XL	



**TYVEK 800 J  
DISPOSABLE  
COVERALL**

Tyvek 800 J is a new, limited-use Type 3 chemical protective garment from DuPont that combines resistance to pressurised jets of water-based chemicals with breathability, durability and freedom-of-movement thanks to its 'Tyvek Impervious Technology'. The outcome for wearers of the new Tyvek 800 J is reassuring protection that is both comfortable and robust. It has been designed for work in very humid applications requiring chemical, liquid and/or oil protection.

**Conforms to:** Chemical protective clothing, Category III, Type 3-B, 4-B, 5-B & 6-B, EN 14126:2003, EN 1149-5:2008, EN 1073-2:2002 Class 2



Colour	Product Code	Size	
<input type="checkbox"/> White	PBS36DS	S - 3XL	







**4515 PROTECTIVE COVERALL**

Type 5/6 Coverall designed to offer cost effective protection against hazardous dusts such as asbestos fibre. Made from highly breathable SMS non-woven for effective release of body heat and moisture and reduced heat stress. Soft and strong 50gsm SMS for strong performance. 2 panel hood, 2-way zip and storm flap with elasticated back and ankles to reduce the risk of skin exposure.

**Conforms to:** CE Category III, EN 1073-2, EN 13034:2005+A1:2009 Type 6, EN ISO 13982-1:2004 Type 5

Colour	Product Code	Size
White	PBS41DS	S - 2XL
Blue	PBS50DS	S - 2XL



**4540+ PROTECTIVE COVERALL**

Type 5/6 highly versatile protective coverall designed to offer an excellent barrier to particles and limited liquid splash and also features a breathable SMMMS back panel. Excellent barrier against dry particles and certain liquid chemical splash (CE Type 5/6). Soft and light, ultra low-linting laminated microporous material that drapes and hangs well over the body facilitating ease of movement. Back panel made of breathable SMMMS material for improved air circulation and reduced heat stress. 2-way zipper with fully sealable storm flap for added on-off convenience and extra protection. 3-panel hood design for enhanced compatibility with complimentary PPE. Knitted cuffs and elasticated waist and ankles for increased comfort and freedom of movement. Anti-static treated. Low linting.

**Conforms to:** CE Category III, EN 1073-2:2002 Class1, EN 13034:2005+A1:2009 Type 6, EN ISO 13982-1:2004 Type 5, EN1149-5:2008

Colour	Product Code	Size
White/Blue	PBS29DS	S - 2XL



**4545 PROTECTIVE COVERALL**

Designed to be comfortable but highly protective to CE Category III, Type 5/6 hazardous dusts and limited liquid splashes. Soft and light, ultra low-linting laminated microporous material that drapes and hangs well over the body facilitating ease of movement. 3 panel hood, 2-way zip and storm flap with sealable tape with elasticated back and ankles to reduce the risk of skin exposure. Knitted cuffs and elasticated waist and ankles for increased comfort and freedom of movement. Anti-static coating EN 1149-5 reduces static discharge and minimises the risk of sparks. EN 1073-2 nuclear particulate hold out. Anti-static treated.

**Conforms to:** CE Category III, EN 1073-2, EN 1149-5, EN 13034:2005+A1:2009 Type 6, EN 14126, EN ISO 13982-1:2004 Type 5

Colour	Product Code	Size
White	PBS15DS	S - 2XL





### SMS DISPOSABLE BOILERSUIT TYPE 5/6

Protective coverall CE Type 5 & 6. For fine dust particles. Reduced spray and limited splash. 2 way zip front with storm flap. Elasticated cuffs, ankles, waist and hood. Breathable fabric. Individually packaged. Very economical.

**Conforms to:** EN13034 :2005 + A1:2009, EN13982-1:2004 + A1:2010

Colour	Product Code	Size	
<input type="checkbox"/> White	PBS21DS	S - 3XL	



### LAMINATE DISPOSABLE BOILERSUIT TYPE 5/6

Quality non-woven coverall made from soft layers of spunbonded polypropylene fabric and laminate offering ultimate strength and protection against types 5 & 6 hazards. Soft, lightweight and flexible coverall designed to protect against hazardous dry particles and low hazardous chemical spray. High quality garment with fully elasticated hood, ankles, waist and wrists. 2 way zip fastening and sealable zip flap.

**Conforms to:** ENI 3982-1 & 2: 2004, EN13034:2005, EN340, EN1149, EN14126, EN1073, EN863, EN530, EN368


Colour	Product Code	Size	
<input type="checkbox"/> White	PBS22DS	M - 2XL	



**DISPOSABLE POLYPROPYLENE COVERALL**

Polypropylene disposable coverall. Light protection from dirt & grease. 100% Polypropylene.

Colour	Product Code	Size	
<input type="checkbox"/> White	PBS02DS	S - 2XL	
<input checked="" type="checkbox"/> Blue	PBS08DS	S - 2XL	
<input type="checkbox"/> Red	PBS13DS	S - 2XL	



**TYVEK LABCOAT PL309**

DuPont™ Tyvek Labcoat, model PL309. Labcoat with collar, available in white and in sizes S to XXL. Zipper closure. 2 pockets. Elasticated cuffs (tunnelled). Stitched internal seams. Specially designed for use with Tyvek apparel, Tyvek accessories can help offer enhanced protection for body parts that are more exposed to hazardous substances.

**Conforms to:** PPE Category I, Antistatic treatment (EN 1149-5) - on both sides



Colour	Product Code	Size	
<input type="checkbox"/> White	DCT01DS	S - 2XL	



**3M DISPOSABLE LAB COAT 4440**

55 gsm polypropylene/polyethylene laminate. Lightweight and comfortable to wear. Knit polyester cuffs for user comfort. Anti-static treated. Convenient zipper closure. Low-linting. Microporous material to help reduce heat build up.

**Conforms to:** PPE Category I

Colour	Product Code	Size	
<input type="checkbox"/> White	DCT07DS	S - 2XL	



**DISPOSABLE POLYPROPYLENE LAB COAT**

Non woven polypropylene. Disposable visitors coat with collar. Hook and loop fastening.

**Conforms to:** PPE Category I

Colour	Product Code	Size	
<input type="checkbox"/> White	PC001SG	M - 2XL	



**PE VISITOR COAT**

Quality polythene visitor coat offering hygienic protection against dirt and non hazardous splashes. Intended to be used for low risk applications. Coat with collar, sleeves and press stud fastening. No pockets to respect hygiene regulations. Individually wrapped in plastic wallets.

**Conforms to:** PPE Category I

Colour	Product Code	Size	
<input type="checkbox"/> White	PCT01DS	One	
<input checked="" type="checkbox"/> Blue	PCT03DS	One	



**TYVEK TROUSERS PT31LO**

Without pockets. Elasticated waist, no elastic at ankles. Stitched internal seams.

**Conforms to:** PPE Category I, Antistatic treatment (EN 1149-5) - on both sides



Colour	Product Code	Size	
<input type="checkbox"/> White	PTR01DS	M - 2XL	





### TYVEK BOOT COVERS POB0

Knee-length overboot. Elasticated top and fixation ties. Stitched internal seams. H 48cm. L 42cm.

**Conforms to:** PPE Category I, Antistatic treatment (EN 1149-5) - on both sides

Colour	Product Code	Size
<input type="checkbox"/> White	DOS01DS	One



### TYVEK SHOE COVERS POS0

Elasticated ankle. Stitched internal seams. 38 cm long)

**Conforms to:** PPE Category I, Antistatic treatment (EN 1149-5) - on both sides

Colour	Product Code	Size
<input type="checkbox"/> White	POS02DS	One
<input checked="" type="checkbox"/> Blue	POS24DS	One



### TYVEK ANTISTATIC SHOE COVERS POSA

Overshoe available in sizes 36 to 42 and 42 to 46. Elasticated ankle. Stitched internal seams. Slip-retardant sole.

**Conforms to:** PPE Category I, Antistatic treatment (EN 1149-5) - on both sides, excludes slip-retardant sole

Colour	Product Code	Size
<input type="checkbox"/> White	POS10DS	One



### TYVEK SLEEVES - PS32LA

50 cm long sleeve available in one size. Adjustable arm opening. Stitched internal seams. Upper-arm in blue-coloured thread for identification purposes.

**Conforms to:** PPE Category I, Antistatic treatment (EN 1149-5) - on both sides

Colour	Product Code	Size
<input type="checkbox"/> White	PSL03DS	One



## DUPONT™ SAFESPEC™ MOBILE APP



**DuPont™ SafeSPEC™ Mobile features exclusive dynamic interactive tools, product images, technical data, product features and benefits – all on your mobile device, so you'll have instant access wherever you are.**

Gain access to a wealth of easy-to-read content and learn about the current DuPont protective garment portfolio.

Dynamic tools identify specific hazard scenarios, yielding results that best match the environments where the products will be used.

SafeSPEC™ Mobile automatically fills in complex chemical names as they are entered, locating your results quickly and efficiently.

Mobile app updates easily with an online connection, so you can be prepared for protective apparel selection on the job site.



**TYCHEM C STANDARD, MODEL CHA5**

Hooded coverall. Elasticated face, wrists, waist and ankles for an optimal fit, thumb loops prevent sleeves from riding up. Self-adhesive chin flap for tight seal of suit to face-masks. Made from a lightweight and durable fabric (<450g per garment), Tychem C garments utilise the strength of Tyvek and a polymeric barrier coating to offer good permeation barrier protection against a wide range of inorganic chemicals and biological hazards (even under pressure). Tychem C is used for splash or pressurised splash protection in a variety of industrial environments, including pulp and paper manufacturing, food processing, chemical processing and pharmaceutical manufacturing.

**Conforms to:** Chemical protective clothing, Category III, Type 3-B, 4-B, 5-B and 6-B, EN 14126, EN 1073-2, Antistatic treatment (EN 1149-5) - on inside

Colour	Product Code	Size
Yellow	PBS09DS	S - 3XL



**TYCHEM F STANDARD, MODEL CHA5**

Hooded coverall. Elasticated face, wrists, waist and ankles for an optimal fit, thumb loops prevent sleeves from riding up. Self-adhesive chin flap for tight seal of suit to face-masks. Tychem F garments are made from a lightweight and durable fabric (<500g per garment) consisting of a proprietary barrier film laminated to a heavy duty Tyvek substrate. They offer excellent chemical permeation protection to an extensive range of chemicals, helping to protect personnel against numerous toxic industrial organic chemicals, highly concentrated inorganic chemicals (even under pressure), particulates, biohazards and certain chemical warfare agents. Tychem F is used for a broad range of applications from chemical spill clean-up, emergency response, to military and petrochemical applications.

**Conforms to:** Chemical protective clothing, Category III, Type 3-B, 4-B, 5-B and 6-B, EN 14126, EN 1073-2, Antistatic treatment (EN 1149-5) - on inside

Colour	Product Code	Size
Grey	DBS04DS	S - 3XL





### BIB APRON

Non tangle ties. Ties to front. Fabric: 65% Polyester / 35% Cotton.

Colour	Product Code	Size	
White	PAP02PC	One	
Black	PAP06PC	One	
Navy	PAP02PCN	One	
Dark Grey	PAP20CF	One	
Red	PAP19CF	One	
Burgundy	DTA05PC	One	



### BUTCHER'S APRON

Bib apron. Non tangle ties. Ties to the front. Fabric: 280g - 100% Cotton. Size: W28" x H42".

Colour	Product Code	Size	
Navy/White	PAP09CF	One	
Red/White	PAP09CFR	One	



### KNEE APRON (NO POCKET)

Knee apron. Non tangle ties. Fabric: 65% Polyester / 35% Cotton. Width 90cm. Length 80cm.

Colour	Product Code	Size	
White	PAP05CF	One	
Black	PAP09PC	One	
Navy	PAP08PC	One	
Red	PAP14CF	One	



### PVC APRON

Adjustable white ties, brass eyelets.

Colour	Product Code	Size	
White	PAP01CF	One	
Royal Blue	PAP02CF	One	
Green	PAP10CF	One	
White Ties (3)	DAP03PC	One	



### WAIST APRON

Self fabric ties. Material: 65% polyester, 35% cotton.

Colour	Type	Product Code	Size	
Black	With open pocket	PAP14PC	One	
Black	With zip pocket	VAP05CC	One	



### DISPOSABLE APRON

Size: 42" x 27". Offering light-weight protection against spillage. Blue is extensively used and strongly advised in food service for traceability. One size fits all. 200 aprons per roll.

Colour	Product Code	Size	
White	PAP01DS	One	
Blue	PAP02DS	One	





**CHEF'S JACKET**

65% Polyester, 35% Cotton. 195gsm. Cutaway mandarin collar. Fold back front panel. Turn back split cuffs.

Colour	Product Code	Size	
<input type="checkbox"/> White	PJK03CF	XS - 4XL	
<input type="checkbox"/> Black	PJK27CF	XS - 4XL	



**CHEF'S JACKET - EXECUTIVE**

Anti-crease finish. Chest pocket. Contrast piping. Cuff vents. Sleeve pocket. Fabric: 60% Cotton 40% Polyester.

Colour	Product Code	Size	
<input type="checkbox"/> White	PJK24CF	XS - 3XL	



**STANDARD CHEF'S TROUSERS**

Polycotton. Sewn in crease. Zip fly with button.

Colour	Product Code	Size	
<input type="checkbox"/> White	PTR01CF	28" - 50"	
<input type="checkbox"/> Black	PTR19CF	XS - 4XL	



**HOUNDSTOOTH CHECK CHEF'S TROUSER**

Zip and button. Fabric: 65% Polyester, 35% Cotton.

Colour	Regular Leg	Size	
<input type="checkbox"/> Black/White	PTR13CF	XS - 3XL	
<input type="checkbox"/> Navy/White	PTR02CF	XS - 4XL	



**BAKER'S TOP**

One chest pocket. Fabric: 190g - 65% Polyester / 35% Cotton.

Colour	Short Sleeve	Long Sleeve	Size	
<input type="checkbox"/> White	PJK09CF	PJK14CF	XS - 3XL	



**BAKER'S TROUSERS / FOOD TROUSERS**

Fully elasticated waist. Polycotton.

Colour	Product Code	Size	
<input type="checkbox"/> White	PTR56PC	XS - 3XL	



**ORIGINAL FULL CUT T-SHIRT**

Fabric: 97% cotton, 3% polyester. Weight: White 135gm/m<sup>2</sup>, Colour 145gm/m<sup>2</sup>.

Colour	Product Code	Size	
White	PTS02PC	S - 3XL	
Black	PTS23PC	S - 3XL	
Royal	PTS09PC	S - 3XL	
Red	PTS69PC	S - 3XL	



**STUD PIQUE POLO SHIRT**

Easy care fabric. Moisture management fabric. Self fabric collar. Taped neck. Printed neck label. Two rust free pop stud placket. Extra body length. Hemmed sleeves. Twin needle stitching. WRAP Certified Production. Material: 100% polyester. Weight: 140 gsm.

Colour	Product Code	Size	
White	PPS245PC	XS - 3XL	
Navy	PPS159PC	XS - 3XL	



**FOOD COAT**

Polyester/cotton fabric. Concealed stud fastener. Back vent. Popper fastening on cuffs. Inner pocket.

Colour	Product Code	Size	
White	PWC05PC	S - 2XL	
Navy	PWC33PC	S - 2XL	
Royal	PWC15PC	S - 2XL	



**WAREHOUSE COAT**

Polycotton. Concealed stud front. 1 breast pocket. 2 lower pockets. Rear vents.

Colour	Product Code	Size	
White	PWC01PC	32" - 52"	
Navy	PWC09PC	32" - 52"	
Royal	PWC03PC	32" - 52"	

**FOOD COVERALL**

Inside breast pocket. 2 side pockets and access. Concealed stud front fastening. Side elastication. Action back. Fabric: 245g - 65% Polyester / 35% Cotton.

Colour	Product Code	Size	
White	PBS56PC	S - 2XL	
Royal	PBS121PC	S - 2XL	